



VINYL PLANK

Oasis **Ocean** **Mountain** **Eco**

DL4501 & DL2501 & DLL1505 | Sandy

**FIBRE
GLASS**
SOLID LAYER
0.5mm THICKNESS

**MICRO
CERAMIC™**
ENHANCED
WEAR LAYER

DECOLINE VINYL PLANK

As an industry pioneer,
DecoLine always brings you better solutions for your flooring.

Vinyl flooring is an excellent choice for busy families, being extremely durable, long-lasting, and easy to clean. Rated highly slip-resistant by Australian standards (R10), you can rest assured that your safety is our priority at DecoLine.

Our vinyl flooring features beautiful wooden detailing, providing a luxurious feel that is not only safer but also much warmer to walk on, perfect for those first steps in the morning.



Antibacterial Properties

DecoLine vinyl planks are coated with colourless Ag+ nano sized silver ion particles, resulting in an antibacterial armour. Silver inhibits the growth of bacteria by deactivating bacteria's oxygen metabolising enzymes, which means safer flooring for you and your family.



Durable and Adaptable

DecoLine vinyl planks are easy to cut to size, locks securely into place and lays perfectly over any flooring surface. Its sturdiness and flexibility ensure the longevity of your flooring for years to come.



Quick and Easy to Install

DecoLine vinyl planks can be fitted over most existing hard floors as soon as your subfloor is dry, smooth, dust free and in sound condition.



Tested at Temperatures of up to 80°C

DecoLine vinyl planks have been tested at temperatures between 70°C to 80°C for over 2 years.



Low Maintenance

DecoLine vinyl planks are simple to care for. All that's required is a quick sweep and a mop with warm water.



Authentic Timber Feel

DecoLine vinyl planks are a premium and elegant option with a realistic wood look.



Easy to Repair

DecoLine vinyl planks are designed for easy replacement. Should a plank get damaged it can easily be lifted and replaced with a new one.



100% Water Resistant

DecoLine vinyl planks are 100% water resistant, making it an ideal solution for all commercial and domestic environments which may experience frequent spills or wet areas.



Quiet Acoustic Qualities

DecoLine vinyl planks are perfect for when you want to reduce noise levels in rooms such as playrooms, bedrooms and garage/loft conversions, without the need for an underlay.



Retains Heat


DecoLine vinyl planks offer superior softness and warmth underfoot when compared to natural wood and stone flooring options.

WHY CHOOSE DECOLINE?

At DecoLine, we understand the importance of your family's health.

That's why our flooring comes equipped with an anti-bacterial shield. Your family will love the luxurious feel and authentic look of DecoLine vinyl flooring. They will believe they are walking on real wood.

The plank comes with a manufacturer's guarantee and is available in a variety of colours and designs.





6 MIDDLE LAYER
• The thickest layer, providing rigidity & strength

7 BALANCE LAYER
• Support balance of the floor structure
• Fire retardance

8 DRY BACK LAYER
• Easy to glue
• Fit over most floors

COLOUR CHART



● DL2500 ● DL4500



● DL2501 ● DL4501
● DLL1505



● DLV2514

SPC | DLS814



● DLV2512

SPC | DLS812



● DL2507 ● DL4507
● DLL1501 ● DLV2501

SPC | DLS6511, DLS801



● DL2506 ● DL4506
● DLL1506



● DL2504 ● DL4504



● DLL1502



● DL2508 ● DL4508
● DLL1503 ● DLV2502

SPC | DLS6514, DLS804



● DL2503 ● DL4503



● DLL1504



● DLV2513

SPC | DLS813, DLS813-N



● DL2502

● DL4502



● DLV2515

SPC | DLS815

SPECIFICATIONS

Oasis



Size	1219.2 x 228.6 mm
Thickness	2.5 mm
Surface	0.5 mm wear layer
Box Quantity	4.464 m ² / 16 pcs / 20.69 kg
Weight	4.63 kg / m ²

Ocean



Size	1219.2 x 228.6 mm
Thickness	4.5 mm
Surface	0.5 mm wear layer
Box Quantity	2.79 m ² / 10 pcs / 20.72 kg
Weight	7.42 kg / m ²

Mountain



Size	1524 x 228.6 mm
Thickness	4.5 mm
Surface	0.5 mm wear layer
Box Quantity	2.79 m ² / 8 pcs / 22.5 kg
Weight	8.1 kg / m ²

Eco



Size	1524 x 228.6 mm
Thickness	2.5 mm
Surface	0.5 mm wear layer
Box Quantity	4.18 m ² / 12 pcs / 18.81 kg
Weight	4.5 kg / m ²

LUXURY
VINYL
PLANK

Ocean & Oasis

DecoLine's Unique Pattern Mixing Methods

Made in Korea

* All pictures shown are for illustration purposes only. Actual colours may vary.

DL4501 & DL2501 | Sandy



ROYAL OAK & AUTHENTIC WIDE PLANKS



SPECIFICATIONS

Range Name	Ocean	Oasis
Plank Size	1219.2 x 228.6 mm	1219.2 x 228.6 mm
Total Thickness	2.5 mm	4.5 mm
Wear Layer Thickness	0.5 mm	0.5 mm
Box Quantity	4.464 m ² / 16 pcs / 20.72 kg	2.79 m ² / 10 pcs / 20.69kg
Weight	7.42 kg / m ²	4.63 kg / m ²
Impact Sound Reduction	L _n T _w 53	
Slip Resistance	P3 / R10	P3 / R10
Fire Rating	Pass	Pass



Ocean



Oasis

Scan
the QR code

<div><div>2.5 mm Thickness</div><div>4.5 mm Thickness</div><div>DL 4500</div><div>DL 2500</div></div> <div>White Wash</div>	<div><div>2.5 mm Thickness</div><div>4.5 mm Thickness</div><div>DL 4501</div><div>DL 2501</div></div> <div>Sandy</div>	<div><div>2.5 mm Thickness</div><div>4.5 mm Thickness</div><div>DL 4502</div><div>DL 2502</div></div> <div>Bleached Oak</div>	<div><div>2.5 mm Thickness</div><div>4.5 mm Thickness</div><div>DL 4503</div><div>DL 2503</div></div> <div>Charcoal</div>
---	--	---	---



Grey Oak



Limed Oak



**Coastal
Blackbutt**



**Northern
Spotted Gum**

















LUXURY
VINYL
PLANK

Mountain

DecoLine's Unique Pattern Mixing Methods

Made in Korea


* All pictures shown are for illustration purposes only. Actual colours may vary.

DLL1503 | Northern Spotted Gum




DLL1505 | Sandy


AUTHENTIC LONG & WIDE PLANKS




Coastal Blackbutt




Mountain Gum




Northern Spotted Gum



Mountain Spotted Gum



Sandy



Limed Oak

SPECIFICATIONS

Plank Size	1524 x 228.6 mm
Total Thickness	4.5 mm
Wear Layer Thickness	0.5 mm
Box Quantity	2.79 m ² / 8 pcs / 22.5 kg
Weight	8.1 kg / m ²
Impact Sound Reduction	L _{nT,w} 53
Slip Resistance	P3 / R10
Fire Rating	Pass



Scan
the QR code



**Coastal
Blackbutt**



**Mountain Gum
(Northern Blackbutt)**



**Northern
Spotted Gum**



**Mountain
Spotted Gum**

4.5 mm
Thickness



DLL 1505

Sandy

4.5 mm
Thickness



DLL 1506

Limed Oak

DLL1501 | Coastal Blackbutt















LUXURY
VINYL
PLANK







Eco^o

DecoLine's Unique Pattern Mixing Methods



DLV2512 | Silver Moon

RUSTIC LONG & WIDE PLANKS



SPECIFICATIONS

Plank Size	1524 x 228.6 mm
Total Thickness	2.5 mm
Wear Layer Thickness	0.5 mm
Box Quantity	4.18 m ² / 12 pcs / 18.81 kg
Weight	4.5 kg / m ²
Slip Resistance	P3 / R10
Fire Rating	Pass



Scan
the QR code



**Coastal
Blackbutt**



Spotted Gum



Silver Moon



**Pearl
(Scarborough)**

2.5 mm
Thickness



DLV 2514

Sand Stone

2.5 mm
Thickness



DLV 2515

Naturalle

DLV2513 | Pearl (Scarborough)



DECOLINE'S UNIQUE PATTERN MIXING METHODS













ACCESSORIES

ALUMINIUM TRIMS

Length 3.4m



L-Trim **KLP228**
8mm Top cover 25mm

Black Butt & Natural Black Butt /
Lemon Gum / Spotted Gum /
Crystal / Pearl (Scarborough) /
Sand Wood / Honey Oak / Hash
Brown / Silver / Bronze / Black /
Champagne



L-Trim **KLP202**
5mm Top cover 13mm

Silver / Bronze / Champagne / Black



Border Strip **KCS158**
5mm

Silver / Bronze / Champagne / Black




C-Channel **KUP406**
8mm Top cover 25mm

Black Butt & Natural Black Butt /
Lemon Gum / Spotted Gum /
Crystal / Pearl (Scarborough) /
Sand Wood / Honey Oak / Hash
Brown / Silver / Bronze / Black /
Champagne



Universal **KMC045**
Cover 43mm without base & insert

Black Butt & Natural Black Butt /
Lemon Gum / Spotted Gum /
Crystal / Pearl (Scarborough) /
Sand Wood / Honey Oak / Hash
Brown / Silver / Bronze / Black /
Champagne



Base **KMC045-2**
& Insert For Universal Cover (KMC045)

Mill finish



Reducer **KRP369**
3mm 3mm vinyl floors

Silver / Bronze / Champagne / Black



Reducer **KRP370**
5mm 5mm vinyl floors

Silver / Bronze / Champagne / Black



STAIR NOSING

Length 3.4m



Stair Nosing 3mm KLP287
3mm Vinyl floors
Silver / Bronze / Champagne / Black



Stair Nosing 5mm KLP288
5mm Vinyl floors
Silver / Bronze / Champagne / Black



Stair Nosing F-Profile 8mm KFP472
Top cover 13mm
Silver / Bronze / Champagne / Black



Stair Nosing L-Profile 18mm KLP212
Top cover 28mm
Silver / Bronze / Champagne / Black

WATER-BASED ACRYLIC ADHESIVE

W-400H

P.V.C. Vinyl & Rubber Flooring



SPECIFICATION

Feature	White with high - viscosity
Can Be Applied To	Cement, concrete, hardboard, plywood and smoothing compounds
Average Amount Needs	0.3~0.4 kg/m ²
Validity	One year in original sealed packaging
Store Above	0 °C
Open Time	10~15 minutes
Working Time	30~40 minutes
Available Walking Time	2~3 hours
Complete Hardening Time	More than 24 hours

FEATURES

Non toxication, no odour, solvent free
High-adhesion and flexibility

APPLICATION

Pour the decobond on the substrate and spread it evenly with a notched trowel. Wait up to 10~15 minutes till the glue gets tacky and lay floor coverings within 30~40 minutes. Flatten carefully from the center towards the edges to eliminate air bubbles and ensure a good transfer of the adhesive. Press the floor coverings properly after installation and keep away from water for at least 3 days.

TECHNICAL

INSTALLABLE PLACES				
Brand	Oasis	Ocean	Mountain	Eco
Size	1219.2 x 228.6 mm	1219.2 x 228.6 mm	1524 x 228.6 mm	1524 x 228.6 mm
Thickness	2.5 mm	4.5 mm	4.5 mm	2.5 mm
Hotels, Offices, Public Buildings, Schools and Kindergartens	O	O	O	O
	O	O	O	O
	O	O	O	O
	O	O	O	O
Supermarkets and Shopping Centres	O	O	O	O
	O	O	O	O
Sporting Facilities	O	O	O	O
	O	O	O	O
Hospitals and Aged Care Facilities	O	O	O	O
External Pavements and Ramps	O	O	O	O
Stair	O	O	O	O

FAQ

We have a dedicated section on our website that explains lots of frequently asked questions from our customers.

<https://www.decoline.com.au/faq>



FIND RETAILERS

You can find your nearest Decoline Floors recommended retailers by using the online search feature.

<https://www.decoline.com.au/retailers>



MAINTENANCE

Decoline Vinyl planks are easy to care for. Our enhanced surfaces are coated with colourless Ag+ nano-sized silver ion particles, resulting in an anti-bacterial armour. This helps protect against everyday wear, spills and scuffs which means safer flooring for you and your family.

<https://www.decoline.com.au/maintenance>



WARRANTY

You can claim defects in Decoline Floors if the conditions of our warranty are met. Please check the Decoline warranty file on our website. For more information, please enquire with your local flooring retailer or our Customer Service team.

<https://www.decoline.com.au/warranty>



SLIP RESISTANCE				
Brand	Oasis	Ocean	Mountain	Eco
Size	1219.2 x 228.6 mm	1219.2 x 228.6 mm	1524 x 228.6 mm	1524 x 228.6 mm
Thickness	2.5 mm	4.5 mm	4.5 mm	2.5 mm
Grade	P0			
	P1			
	P2			
	P3	O	O	O
	P4			O
FIRE RATING				
Brand	Oasis	Ocean	Mountain	Eco
Size	1219.2 x 228.6 mm	1219.2 x 228.6 mm	1524 x 228.6 mm	1524 x 228.6 mm
Thickness	2.5 mm	4.5 mm	4.5 mm	2.5 mm
Result	Pass	Pass	Pass	Pass
ACOUSTIC RATING				
Brand	Ocean		Mountain	
Size	1219.2 x 228.6 mm		1524 x 228.6 mm	
Thickness	4.5 mm		4.5 mm	
Star Rating	1 Star (L nT,w 65)			
	2 Star (L nT,w 60)			
	3 Star (L nT,w 55)			
	4 Star (L nT,w 50)	O		O
	5 Star (L nT,w 45)			

WE'D LOVE
TO HEAR ABOUT
YOUR EXPERIENCE
WITH US.






Leave us
a Google review!





CONTACT US



 www.decoline.com.au
 @decoline_floors
 @decolinefloors



* All pictures shown are for illustration purpose only. Actual colours may vary.

DL4508 & DL2508 & DLL1503 & DLV2502 | Northern Spotted Gum (Spotted Gum)